12 HOUR DECONGESTANT- pseudoephedrine hydrochloride tablet, film coated, extended release

L Perrigo Company

Perrigo 12 Hour Decongestant Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 120 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	take 1 tablet every 12 hoursdo not take more than 2 tablets in 24 hours
	do not use this product in children under 12 years of age

Other information

- each tablet contains: calcium 45 mg
- store at 20° 25°C (68° 77°F) in a dry place
- protect from light
- do not use if blister unit is broken or torn
- see carton end panel for lot number and expiration date
- this product meets the requirements of USP Drug Release Test 3

Inactive ingredients

carnauba wax, colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Sinus

Non-Drowsy

Compare to Sudafed® 12 Hour Caplets active ingredient

12 Hour

Decongestant

Pseudoephedrine Hydrochloride Extended Release Tablets 120 mg

Long-Acting Nasal Decongestant

Sinus Pressure

Congestion

Maximum Strength

Pseudoephedrine HCl

(120 mg each)

*(capsule-shaped tablets)



12 Hour Decongestant Carton Image 1

Drug Facts	<i>Drug Facts</i> (continu	ued)
Active ingredient (in each tablet) Purpose	Directions	
Uses temporarily relieves nasal congestion due to the	adults and children 12 years and over	■ take 1 tablet every 12 hours ■ do not take more than 2 tablets in 24 hours
temporarily relieves riasar congestion due to the common cold, hay fever or other upper respiratory allergies ■ temporarily relieves sinus congestion and præssure Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression,	children under 12 years	do not use this product in children under 12 years of age
Warnings Do not use if you are now taking a prescription monoamine ox idase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.		calcium 45 mg ° - 77°F) in a dry place
Ask a doctor before use if you have heart disease high blood pressure thyroid disease diabetes trouble urinating due to an enlarged prostate gland	dioxide, dibasic caldum p	ts camauba wax, colloidal si licon ohosphate dihydrate, hypromellose, rocrystalline cellulose, polyethylene anium dioxide
When using this product do not exceed recommended dosage	(Questions or con	nments? 1-800-71 9-9 260
Stop use and ask a doctor if ■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or occur with a fever		
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	3 70030 50886	

12 Hour Decongestant Carton Image 2

12 HOUR DECONGESTANT

pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-2054
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PSEUDO EPHEDRINE HYDRO CHLO RIDE (UNII: 6 V9 V2RYJ8 N) (PSEUDO EPHEDRINE - UNII:7CUC9 DDI9 F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg	

Inactive Ingredients			
Ingredient Name	Strength		
CARNAUBA WAX (UNII: R12CBM0 EIZ)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
CALCIUM PHO SPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			

CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	CAPSULE	Size	18 mm
Flavor		Imprint Code	L054
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0113-2054-60	2 in 1 CARTON			
1		10 in 1 BLISTER PACK			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075153	10/04/2011	

Labeler - L Perrigo Company (006013346)

Revised: 3/2012 L Perrigo Company